<u>Amendments to the Claims</u>:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1.   (currently amended) A method, comprising:

receiving one or more search queries;

searching stored data based on the one or more search queries to ~~generate~~ <u>identify</u> results, where the <u>identified</u> results are orderable by one or more search characteristics; and

providing a document that includes a multi-dimensional graph of the <u>identified</u> results ~~of the search~~, at least one of the one or more search characteristics being represented as a dimension on the multi-dimensional graph,

where [[each]] <u>one</u> of the <u>identified</u> results [[has]] <u>is represented by an image of the one identified result</u> ~~a visual representation~~ on the multi-dimensional graph~~, and where a size associated with each of the visual representations is varied based on a relevance associated with each of the results~~.

2.   (currently amended) The method of claim 1, wherein the <u>identified</u> results ~~of the searching~~ are sorted by relevance.

3.   (original) The method of claim 1, wherein the one or more search queries are

inferred from actions taken by a user other than entering one or more explicit search

queries.

4.   (original) The method of claim 3, wherein the actions taken by a user comprises

the user's past browsing activity.

5.   (original) The method of claim 1, wherein the one or more search queries are

selected from a list of multiple search queries.

6.   (canceled)

7.   (currently amended) The method of claim 1, wherein [[each]] the one of the

identified results is further represented on the multi-dimensional graph as at least one of

an icon, text, or an image by text.

8.   (original) The method of claim 2, wherein a second dimension of the multi-

dimensional graph comprises relevance.

9.   (previously presented) The method of claim 1, wherein the one or more search

characteristics comprise one of recency, price, dates, image quality, image size or

geographic distance.

10.   (original) The method of claim 1, wherein the multi-dimensional graph comprises

a two-dimensional graph.

11.   (previously presented) The method of claim 1, wherein a scaling of an axis

corresponding to the dimension is non-linear.

12.   (previously presented) The method of claim 11, wherein at least a portion of the

axis corresponding to the dimension comprises a logarithmic scale.

13.   (original) The method of claim 2, wherein none of the dimensions of the multi-

dimensional graph corresponds to relevance.

14.   (previously presented) The method of claim 1, further comprising:

        receiving user input to selectively alter a resolution of the dimension of the multi-

dimensional graph.

15.   (canceled)

16.   (original) The method of claim 1, wherein a fixed number of results are displayed

on each page of the document.

17-18. (canceled)

19.   (currently amended) A system, comprising:

a server to:

        receive one or more search queries,

        search stored data based on the one or more search queries to ~~generate~~

identify results, ~~wherein~~ where the identified results are orderable by one or more

search characteristics, and

        provide a document that includes a multi-dimensional graph of the

identified results of the search with at least one of the one or more search

characteristics being represented as a dimension on the multi-dimensional graph

and ~~wherein each~~ where one of the identified results is represented on the multi-

dimensional graph as ~~at least one of an icon, text, or~~ an image of the identified

result ~~where each of the results has a visual representation on the multi-~~

~~dimensional graph and where a size associated with each of the representations is~~

~~varied based on a relevance associated with each of the results.~~

20.   (Withdrawn) A method of plotting results of a data search, comprising:

executing one or more search queries to search stored data;

receiving results of the executed one or more search queries, wherein the results

are orderable by at least one search characteristic;

designating a visual representation for each of the results; and

plotting each of the visual representations on a multi-dimensional graphical

display, wherein at least one dimension of the multi-dimensional graphical display

corresponds to the at least one search characteristic.

21.   (Withdrawn) The method of claim 20, wherein the results of the one or more

executed search queries are sorted by relevance.

22.   (Withdrawn) The method of claim 20, wherein the one or more search queries are

received from a remote user.

23.   (Withdrawn) The method of claim 20, wherein the one or more search queries are

inferred from actions taken by a user other than entering one or more explicit search

queries.

24.   (Withdrawn) The method of claim 23, wherein the actions taken by a user

comprise the user's past browsing activity.

25.   (Withdrawn) The method of claim 20, wherein the one or more search queries are selected from a list of multiple search queries.

26.   (Withdrawn) The method of claim 20, wherein each of the visual representations occupies substantially more than a point on the multi-dimensional graphical display.

27.   (Withdrawn) The method of claim 20, wherein each of the visual representations comprises at least one of an icon, text, or an image.

28.   (Withdrawn) The method of claim 21, wherein a second dimension of the multi-dimensional graphical display comprises relevance.

29.   (Withdrawn) The method of claim 20, wherein the at least one search characteristic comprises one of recency, price, dates, image quality, image size and distance.

30.   (Withdrawn) The method of claim 20, wherein the multi-dimensional graphical display comprises a two-dimensional graph.

U.S. Patent Application No. 10/813,229
Attorney's Docket No. <u>0026-0073</u>

31.   (Withdrawn) The method of claim 20, wherein a scaling of an axis corresponding to the at least one dimension varies is non-linear.

32.   (Withdrawn) The method of claim 30, wherein at least a portion of the axis corresponding to the at least one dimension comprises a logarithmic scale.

33.   (Withdrawn) The method of claim 21, wherein none of the dimensions of the multi-dimensional graphical display corresponds to relevance.

34.   (Withdrawn) The method of claim 20, further comprising:

receiving user input to selectively alter a resolution of a dimension of the multi-dimensional graphical display.

35.   (Withdrawn) The method of claim 20, wherein a size associated with each of the visual representations is varied based on a relevance associated with a respective result.

36.   (Withdrawn) The method of claim 20, wherein the graphical display spans multiple pages and wherein a fixed number of results are displayed on each page of the multiple pages.

8

37.   (Withdrawn) The method of claim 21, wherein respective visual representations may visually overlap one another.

38.   (Withdrawn) The method of claim 37, wherein the respective visual representations may visually overlap one another based on relevance.

39.   (Withdrawn) A server, comprising:

a communication interface to receive data related to one or more search queries; and

a processing unit to:

execute the one or more search queries to search stored data,

receive results of the executed one or more search queries, wherein the results are orderable by at least one search characteristic, and

plot visual representations corresponding to each of the results on a multi-dimensional graphical display, wherein at least one dimension of the multi-dimensional graphical display corresponds to the at least one search characteristic.

40.   (Withdrawn) A graphical user interface for graphically displaying results of an executed data search, comprising:

a first activation area on the graphical user interface that displays graphical indicators associated with each of the results of the executed data search, wherein each of

the graphical indicators, upon user selection, causes the display of additional data

associated with the selected graphical indicator, and

　　　wherein the first activation area plots the graphical indicators with respect to a

multi-dimensional graph.

41.　　(Withdrawn) The graphical user interface of claim 40, wherein the executed data

search locates data corresponding to at least one search characteristic.

42.　　(Withdrawn) The graphical user interface of claim 41, wherein the multi-

dimensional graph comprises multiple axes and wherein each search characteristic of the

at least one search characteristic corresponds to an axis of the multiple axes.

43.　　(Withdrawn) A system for plotting results of a data search, comprising:

　　　means for executing one or more search queries to search stored data;

　　　means for receiving results of the executed one or more search queries, wherein

the results are orderable by at least one search characteristic; and

　　　means for plotting each of the received results on a multi-dimensional graph,

wherein at least one dimension of the multi-dimensional graph corresponds to the at least

one search characteristic.

44-53. (canceled)

54.   (currently amended) A method, comprising:

receiving one or more search queries;

searching stored data based on the one or more search queries to ~~generate~~ identify

results, where the identified results are orderable by one or more ~~search~~ characteristics

and where the one or more ~~search~~ characteristics comprise one of price, image quality,

image size or geographic distance; [[and]]

providing a document that includes a multi-dimensional graph of the identified

results of the search, at least one of the one or more ~~search~~ characteristics being

represented as a dimension on the multi-dimensional graph, where one of the identified

results is represented by a visual representation on the multi-dimensional graph; and

causing additional information associated with the one identified result to be

displayed when a cursor is located over the visual representation that represents the one

identified result.

55.   (New) The method of claim 54, where the additional information includes a single

word or phrase.

56.   (New) The method of claim 54, where the additional information includes a

model number.

57.   (New) The method of claim 54, where the additional information includes a label.

58.   (New) The method of claim 54, where the visual representation is an image of the

        one identified result.

59.   (New) A computer readable memory device containing instructions for

controlling at least one processor to perform a method of providing a document that

includes a multi-dimensional graph, the method, comprising:

        receiving one or more search queries related to a product;

        searching stored data based on the one or more search queries to identify product

results, where the identified product results are orderable by one or more characteristics

associated with the identified product results; and

        providing a document that includes a multi-dimensional graph of the identified

product results, at least one of the one or more characteristics being represented as a

dimension on the multi-dimensional graph, where one of the identified product results is

represented by a visual representation on the multi-dimensional graph.